



F820DJKBLC32-7C-50M Borescope HD Sewer Pipe Inspection Camera Range 50 Meter Cable 360 degrees 10"inch

50M Sewer Camera Inspection 360 degrees 10"inch IPS+Cable diameter ϕ 7mm+512HZ Transmitter Locator + Meter Counter+ Keyboard

Waterproof/360°PANNING NIGHT VISION TRANSMITTER:

This device is equipped with dual lens, one camera is front camera , the other camera is 360 degrees rotate camera, the video can be switched, built-in 512HZ transmit, IP68 waterproof,

with 12 LED brightness adjustable,you can observe the pipe from different viewing positions.

512HZ TRANSMITTER:

This endoscope camera has a built-in 512 hertz transmitter that helps to easily detect any blockage or area of interest. This greatly helps save time from having to dig and locate the problem.

The sonde transmits a 512Hz signal that can be picked up with any compatible locator, allowing you to pinpoint the transmitter's position underground.

(Locator Receiver is NOT included)

Video + Audio + 5X Image Enlarge:

Pipeline Wall Sewer Inspection Snake Camera built-in TF Card slot,16GB TF card included,it is available to view live video and save video recording and photos and audio record.

You can record the inspections and playback via the pipe system.

(DVR Edition Video Format :AVI Photo format :JPG)+ZOOM to zoom in or zoom out 0-5 times

MONITOR&CABLE:

Professional Drain Pipe/Sewer Pipeline Inspection Camera is designed with a 10 inches color IPS LCD monitor with a sun-visor for outdoor inspections. The material of wire is fiberglass rod(diameter: 7MM),anti-corrosion/cold/tensile.

DVR Recording Function:

Pipeline Wall Sewer Inspection Snake Camera built-in TF Card slot,16GB SD card included,it is available to view live video and save video recording and photos and audio record.

You can record the inspections and playback via the pipe system. (DVR Edition Video Format :AVI Photo format :JPG)

Applications:

Blocked / slow draining plumbing.

Wall / wire inspection.

Home owners inspection.

Item: parameter

1. Monitor:10 inch IPS color record monitor with sun-visor for bright environment outside ,1024*600 resolution
2. TF Card: Memory Support maximum 128G TF card(16G TF card included)
3. Keyboard input (USB Port)

- 4.512hz:Built in 512hz transmitter
5. Camera :AHD 1080P 360 degree rotation camera head, Pan 360°
 8. Charger: AC100-240V DC12.6V
 9. Built in 12V4500mA li-ion battery inside ,support uint working more than 6 hours
 10. Continuous use time for battery: approximate 8h
 11. investigation depth: 50M(selectable line length)
 12. Material: fiber tube with /high intensity
 13. Camera light source: 12 PCS LED with high while light(adjustable)
 14. Camera viewing angle: 145°
 15. Lens Mirror Material : Sapphire
 16. Camera size/material: 32MM* 120MM /stainless steel
 17. Camera Skids :45MM* 108MM /plastic-steel
 19. Camera picture: color
 20. Equipment is suitable for 150MM or above diameter pipe

Package List:

- 1 * 10inch IPS Monitor (DVR)
- 1 * Camera (360 degrees rotate camera)
- 1 * 16GB TF Card
- 1 * 50M Fiberglass Cable(Cable diameter \varnothing 7mm)
- 1 * Camera Proof Cover
- 1 * 4500mah Battery Box
- 1 * Charger
- 1 * Connection Cable
- 1 * Screw Driver
- 1 * User Manual (English)