

Digital Multimeter With LAN Test

KPS-MT480



- Digital multimeter for LAN and telephone cable test telephone
- 2000 accounts
- Measurement of DC/AC voltage, DC/AC current and resistance
- Continuity and diode test indicator
- Non-contact voltage detection (NCV)
- Maximum values.
- Retention of readings
- Auto scale, auto power off, backlit display and low battery indicator.
- CAT. III 600V according to EN61010.



KPS-MT480

DIGITAL MULTIMETER WITH LAN TEST

General	
Power Supply	2 × 9V 6F22 Batteries
Product Size	195mm x 92mm x 55mm 238mm x 43mm x 26mm
Product Weight	470g
Certificate	RoHS
Safety Rating	CAT III 600V

Specs	
Display Counts	2000
Auto ranging	✓
Auto Power Off	✓
Non-Contact Voltage Detector	✓
Diode	1.7V
Maximum Measurement	✓
Data Hold	✓
Low Battery Display	✓
Display Backlight	✓
Network CableCheck	✓
Phone Check	✓
Tone	✓

KPS-MT480

DIGITAL MULTIMETER WITH LAN TEST

Specs	Range	Resolution	Accuracy
DC Voltage	200mV/2V/20V/200V	0,1mV/1mV/0,01V/0,1V	± (0,5%+5 dígitos)
	1000V	1V	± (0,8%+5 dígitos)
AC Voltage	200mV/2V/20V/200V /750V	0,1mV/1mV/0,01V/0,1V /1V	± (0,8%+5 dígitos)
Resistance	200Ω/2KΩ/20KΩ/200 KΩ	0,1Ω/1Ω/10Ω/0,1KΩ	± (1,0%+5 dígitos)
	2MΩ/20MΩ	1KΩ/0,01MΩ	± (1,5%+5 dígitos)
DC current	200μA/2000μA/20mA/200mA	0,1μA/1μA/0,01mA/0,1 mA	± (1,2%+5 dígitos)
	2A/10A	0,001A/0,01A	± (2,0%+10 dígitos)
AC Current	200μA/2000μA/20mA/200mA	0,1μA/1μA/0,01mA/0,1 mA	± (1,5%+5 dígitos)
	2A/10A	0,001A/0,01A	± (3,0%+10 dígitos)

Product Code Information

SKU	KPSMT480CBINT
EAN code	8435394774701
UPC code	810053670057
Pcs/export carton	20